Contents Volume 49, 1986

Functional palaeoecology of the Hahnenmoor raised bog ecosystem — A study of vegetation history, production and decomposition by means of pollen density dating
A.A. Middeldorp (Amsterdam, The Netherlands) 1

Révision des fruits fossiles d'Euphorbiacées et description d'une nouvelle espèce dans l'Eocène des Grès à Palmiers de l'ouest de la France. [Review of fossil Euphorbiaceae fruits with description of a new species for the Eocene, Grès à Palmiers, western France.]
N. Vaudois-Miéja (Paris, France) 75

Euramerican coal-swamp plants in mid-Carboniferous of Morocco
J. Galtier (Montpellier, France), T.L. Phillips (Urbana, IL, U.S.A.) and F. Chalot-Prat (Fès, Maroc) 93

Taeniopterid lamina on *Phasmatocycas* megasporophylls (Cycadales) from the Lower Permian of Kansas, U.S.A.
W.H. Gillespie (Charleston, WV, U.S.A.) and H.W. Pfefferkorn (Philadelphia, PA, U.S.A.) 99

Reconstruction of local landscape development in the post-Atlantic based on palaeoecological investigations at Carrownaglogh prehistoric field system, County Mayo, Ireland
M. O'Connell (Galway, Ireland) 117

Palynological evidence for the historic expansion of juniper and desert shrubs in Arizona, U.S.A.
O.K. Davis and R.M. Turner (Tucson, AZ, U.S.A.) 177

On *Taeniopteris crassinervis* (Feistmantel) Walkom from Rajmahal Hills, Bihar, India
S. Sen Gupta (Calcutta, India) 195

The Tertiary flora of Southeast Asia with remarks on its palaeoenvironment and phytogeography of the Indo-Malayan region
M.B. Bande and U. Prakash (Lucknow, India) 203

Index of figured plant megafossils — Triassic 1976–1980
M. Boersma and L.M. Broekmeyer (Utrecht, The Netherlands) 235